

**CLEAN**

**SAVE**

**CERTIFIED**

## **CLEANLINESS THROUGH ACCESSIBILITY**

The mechanism is patented and allows the separate removal of the glasses and lid with a single movement.

## **SAFETY THROUGH STABILITY**

8 mm thick stainless-steel hinge with continuous hinge axis provides extremely firm hold on the ceramic.

## **TREND-SETTING THROUGH CERTIFICATION**

The basis for HYTO SAN is the material "Melamine". HYTO is the first sterilizable WC system in the world.



## Privat household

- ✓ **Easy handling:** seat, lid and hinge and no gaps or narrow edges - easy to clean.
- ✓ **Connected hinge:** no wobbling seat, stability even under increased strain (e.g.: physical impairment)

## Hotel and accommodation facilities

- ✓ **Increased quality on the floor:** Due to easy accessibility, more cleaning performance can be achieved with the same cleaning time
- ✓ **A "new" WC for each guest:** Remove the used WC seat, treat the ceramic with strong cleaner, rinse the hinge with water and install the pre-cleaned WC seat. Used seat shall be treated in industrial flushers outside the main cleaning time.
- ✓ **Favourable exchange due to modular design:** Broken or used parts can be replaced by cleaning power, hinge remains on the ceramic. Optional change to a booster seat for guests available.

## Hospital and healthcare facilities

- ✓ **Weapon, if needed:** If required, the toilet seat can be safely cleaned in industrial flushing systems. Expert opinion by W.H.U. Laboratorium für Wasseruntersuchung und Hygiene GmbH is available.
- ✓ **More resistant to regular cleaning:** HYTO SAN is more resistant to industrial cleaning agents with less yellowing of the seats.
- ✓ **HYTO MED seat booster:** Easy to exchange for seat booster if required - stability and therefore safety. Easy maintenance cleaning guaranteed.
- ✓ **Floor washer or plug-in flusher:** Never clean the WC seat in the shower (carry-over of germs)

## Object area

- ✓ **Puristic with HYTO PUR:** Stability, easy to clean and shapely even without a lid. HYTO PUR is seat with retaining clip without lid
- ✓ **Application areas:** Cinemas, sports stadiums, camping sites, tourist centers, ..

## Germ situation in hospitals and nursing homes:


- ✓ **OECD warns of death by germs:** Unfortunately, germs have long been a part of everyday life in hospitals and nursing homes. The majority of these germs affect the human intestine and this is exactly where our HYTO System comes into play.
- ✓ **Sterilizable WC seat:** HYTO SAN can be safely cleaned by steam sterilization. But also, by reprocessing in a detergent-disinfectant unit with a standard cleaning program and a common cleaning agent for medical devices (e.g. "mediclean forte") a cleaning performance > 99.9% is achieved.
- ✓ **Interruption of cross-infection:** Regular re-humidification by spray mist provides a suitable breeding ground for germs. The HYTO system can make a significant contribution here.

## Harmlessness of the materials:

- ✓ **Materials:** Muster Duroplast UREA  
Muster Duroplast MELAMIN  
Muster PP+20% T (Talkum)
- ✓ **Test report Nr. 0003287335/30 AZ 337459 - TÜV Rheinland:** The HYTO products were tested for common pollutants (PAH and cadmium) and were classified as safe to use.

## YOUTUBE Videos:

### HYTO System



<https://www.youtube.com/watch?v=jk3ELP4xXKI>

### HYTO MED



[https://www.youtube.com/watch?v=sqsw7u5VY\\_E&t=6s](https://www.youtube.com/watch?v=sqsw7u5VY_E&t=6s)

### HYTO PUR




<https://www.youtube.com/watch?v=Eu3r8dXsSI8>

## HYTO patent protection:

Patentnumber: 3267867  
Date of filling: 25.02.2016

AU2016232963B2  
CA2977833A1  
EP3267867B1  
RU2683196C1  
US10610067B2













CEO: DI-FH Peter Mayr

Dr. Karl Watschinger

The simplest is not always the best,  
but the best is always simple!



- Heinrich Tessenow

	HYTO SAN	HYTO SAN Modular	HYTO PLUS	HYTO PLUS Modular	HYTO PUR	HYTO MED	HYTO MED Modular
PICTURE							
MATERIAL	MELAMIN / EDELSTAHL 1.4301	MELAMIN	UREA / EDELSTAHL 1.4301	UREA	MELAMIN POLYPROPYLEN EDELSTAHL 1.4301	POLYPROPYLEN EDELSTAHL 1.4301	POLYPROPYLEN
HINGE	HYTO SYSTEM- HINGE Standard	-----	HYTO SYSTEM- HINGE Standard	-----	HYTO SYSTEM- HINGE Standard	HYTO SYSTEM- HINGE Standard	-----
OPTION	-----	HINGE Top mounting	-----	HINGE Top mounting	-----	-----	HINGE Top mounting
SUITABILITY	HYTO SAN is specially designed for hospitals, nursing homes and facilities with high hygienic requirements		Due to its general fit, HYTO PLUS is suitable for almost every round and semicircular toilet.		HYTO PUR is aimed at facilities with a high visitor frequency	HYTO MED is the supplement for the care sector.	
UVP							







HYTO SAN / PLUS

© HYTO GmbH



HYTO PUR


© HYTO GmbH




HYTO MED

© HYTO GmbH


Standard




Montage von Oben




## DATASHEET **HYTO SAN**

	<b>Name</b>	HYTO SAN
	<b>GTIN Number</b>	9120087750023
	<b>Package</b>	39,5x6x49 cm / 2,5 kg
	<b>Overpack</b>	42x38x50 cm / 15 kg
	<b>Packaging unit</b>	VPE 1 / LE 6 18 LE / Palette=108 VPE
	<b>Hinge</b>	inclusive
<b>Recommendation:</b> Hospitals, healthcare facilities, home for the elderly High grade gastronomy, thermal and wellness providers		
<b>Options:</b> HYTO MED Modular:                      Booster seat 12cm without hinge HYTO SAN Modular:                      Circuit cleaning or exchange / damage		
<b>Advantages:</b> Cleaning in industrial flushing systems (plug-in flusher) possible more resistant to industrial cleaning agents und microfiber cloth more cleaning performance at same cleaning time Stability through HYTO system hinge		


# DATASHEET    **HYTO SAN Modular**

	<b>Name</b>	HYTO SAN Modular
	<b>GTIN Number</b>	9120087750054
	<b>Package</b>	39,5x6x49 cm / 2,3 kg
	<b>Overpack</b>	42x38x50 cm / 13,8 kg
	<b>Packaging unit</b>	VPE 1 / LE 6
	<b>Hinge</b>	-----
<b>Recommendation:</b> Hospitals, healthcare facilities, home for the elderly High grade gastronomy, thermal and wellness providers		
<b>Options:</b> <div> <div>HYTO Hinge FT</div> <div>Top mounting</div> </div>		
<b>Advantages:</b> Cleaning in industrial flushing systems (plug-in flusher) possible more resistant to industrial cleaning agents und microfiber cloth more cleaning performance at same cleaning time Favourable change due to modular design, hinge remains on the ceramic		


## DATASHEET **HYTO PLUS**

	<b>Name</b>	HYTO PLUS
	<b>GTIN Number</b>	9120087750030
	<b>Package</b>	39,5x6x49 cm / 2,5 kg
	<b>Overpack</b>	42x38x50 cm / 15 kg
	<b>Packaging unit</b>	VPE 1 / LE 6 18 LE / Palette=108 VPE
	<b>Hinge</b>	inclusive
<b>Recommendation:</b> Accommodation facilities, restaurants Private household		
<b>Options:</b> HYTO PLUS Modular:                      Circuit cleaning or exchange / damage		
<b>Advantages:</b> more cleaning performance at same cleaning time Less cleaning time on the floor with circuit cleaning option Stability through HYTO system hinge		


# DATASHEET    **HYTO PLUS Modular**

	Name	HYTO PLUS Modular
	GTIN Number	9120087750047
	Package	39,5x6x49 cm / 2,3 kg
	Overpack	42x38x50 cm / 13,8 kg
	Packaging unit	VPE 1 / LE 6
	Hinge	-----
<b>Recommendation:</b> Accommodation facilities, restaurants Private household		
<b>Options:</b>  <div style="display: flex; justify-content: space-between;"> <span>HYTO Hinge FT</span> <span>Top mounting</span> </div>		
<b>Advantages:</b> more cleaning performance at same cleaning time Less cleaning time on the floor with circuit cleaning option Favourable change due to modular design, hinge remains on the ceramic		


## DATASHEET **HYTO MED**

	<b>Name</b>	HYTO MED
	<b>GTIN Number</b>	9120087750108
	<b>Package</b>	47,5x40x14 cm / 2,3 kg
	<b>Overpack</b>	50x40x50 cm / 10 kg
	<b>Packaging unit</b>	VPE 1 / LE 4 12 LE / Palette=48 VPE
	<b>Hinge</b>	inclusive
<b>Recommendation:</b> Care facilities Orthopedic medical institutions		
<b>Options:</b> HYTO SAN Modular:                      Change to standard WC seat		
<b>Advantages:</b> Easy maintenance cleaning Stability and safety through HYTO system hinge CE-Certified		

# DATASHEET    **HYTO MED Modular**

	<b>Name</b>	HYTO MED Modular
	<b>GTIN Number</b>	9120087750115
	<b>Package</b>	47,5x40x14 cm / 2,1 kg
	<b>Overpack</b>	50x40x50 cm / 8,6 kg
	<b>Packaging unit</b>	VPE 1 / LE 4 12 LE / Palette=48 VPE
	<b>Hinge</b>	-----
<b>Recommendation:</b> Care facilities Orthopedic medical institutions		
<b>Options:</b>  HYTO SAN:                      Change to standard WC seat		
<b>Advantages:</b> Easy maintenance cleaning CE-Certified		

## DATASHEET **HYTO PUR**

	<b>Name</b>	HYTO PUR
	<b>GTIN Number</b>	9120087750122
	<b>Package</b>	39,5x6x49 cm / 2,3 kg
	<b>Overpack</b>	42x38x50 cm / 13,8 kg
	<b>Packaging unit</b>	VPE 1 / LE 6 18 LE / Palette=108 VPE
	<b>Hinge</b>	inklusive
<b>Recommendation:</b> Official areas, Care facilities High frequent places, Camping places		
<b>Options:</b> HYTO SAN Modular:                      Change to standard WC seat		
<b>Advantages:</b> Seat without lid solution, very simple cleaning Stability and safety through HYTO system hinge		



**HYTO GmbH**

GF: DI(FH) Peter Mayr  
Hochfeld 242  
5721 Piesendorf  
Austria

+43 660 2370221

info@hyto.at | www.hyto.at

VAT Nr.: ATU 71421008 | FN: 459656s  
Place of jurisdiction: A-5700 Zell am See